


The logo for UNKA SOUND SYSTEMS is centered on a dark, textured background. It features a stylized 'U' and 'K' symbol on the left, followed by the word 'UNKA' in a large, bold, outlined font. Below 'UNKA' is the phrase 'SOUND SYSTEMS' in a smaller, italicized, outlined font. A red, brush-stroke-like line is positioned below the text.

**UNKA**  
*SOUND SYSTEMS*

Unique Audio Solutions



*OXI 50P*

The OXI series is an excellent example for the unique relation size / performance that is employed in our product designs. Having two models with variations in length (1 meter and 1,5 meters), the OXI is a passive speaker within an elegant and durable steel frame, producing natural audio quality.

Composed by full range sound sources disposed on short distance, while the OXI does not have a frequency divider nor bass reflex cabinet, it shows a perfect phase response in short distance as well as the long distance field. This is the reason why this compact speaker series is the perfect solution for covering long distances in a regular way.

As it counts with a narrow vertical coverage, audio dispersion towards ceilings and floors is minimized, which increases intelligibility in spaces with high reverberation.

Integrating one of our active subwoofers from the MAK and IKS series which are configured with specific presets for the OXI, an excellent coverage of the complete musical frequency range is guaranteed.

A variety of rigging accessories allow different hanging configurations and the junction of linear arrangements, horizontally and vertically, in order to satisfy all kinds of requirements in diverse spaces.

The OXI is available in black, white or customized color. This way it gets integrated with style in the surfaces that surround it, mixing with the atmosphere and showing the speaker as an excellent design element.

### **Unique relation size / performance**

It produces an impressive high power performance by delivering a high SPL from a small frame.



### **Modular capacity**

For maximum adaptation to any kind of space, our slim arrays have modular capacities: the dedicated hardware permits adding more unities in order to reach the desired length and guarantee perfect coverage.

### **Visually discrete**

For architectural reasons, a visually discrete sound system may be required, one that integrates efficiently with its surroundings without affecting sound quality.

## TECHNICAL SPECIFICATIONS OXI 50P



### General

Type	Line array
Transducers	8 x 2" neodymium magnet woofers
Frequency Response <sup>1</sup>	150 Hz – 18 kHz (-6 dB)
Max SPL <sup>2</sup>	120 dB (peak)
Rated Power	200 W
Coverage	V. 10°   H. 120°
Connectors	SpeakOn NL4: 1+ 1- (signal); 2+ 2- (through)
Nominal Impedance	16 Ω

### Handling & Finishes

Dimensions (WxHxD)	59 x 497 x 81 mm (2.3 x 19.6 x 3.2 in)
Weight	3 kg (6.6 lb)
Colors	Black, White, Custom RAL